

Connect new HMA safe walk route to existing concrete sidewalk

NE 202nd St

136th Ave NE

136th Ave NE

Safe Walk Route Extension Details

- Walk route shall be 2-inches HMA over 4-inches CSTC.
- Walk route shall be 5-ft wide.
- Walk route shall be placed 3-ft minimum from the existing edge of pavement to provide a safe separation from vehicular traffic.
- 3-ft wide area between the edge of pavement and the pave walk route shall have 3-inches of topsoil spread evenly across and shall be seeded.
- Approximately 335 linear feet of pavement is needed to connect between the existing concrete sidewalks.
- "No Parking" signs to be installed along walk route, to be installed by plat.

Vicinity Map



Church Subdivision

NE 202nd St

Safe Walk Route Extension

NE 201st St

NE 201st St



Connect new HMA safe walk route to existing concrete sidewalk

Church Subdivision Safe Walk Route Extension

EXHIBIT A



1 inch = 30 feet



NO	DESIGN/REVISION	DATE	BY
1	Revision1	07/09/15	RKM
2			
3			
4			
5			



City of Woodinville
17301 - 133rd Ave NE
Woodinville, WA 98072
www.ci.woodinville.wa.us
425-489-2700

Disclaimer
Any use of or reliance upon the information contained in this document is at the user's sole risk. The City of Woodinville does not warrant the accuracy, currency, completeness or quality of said information. The City expressly disclaims any warranty of merchantability or fitness for any particular purpose with respect to such information. The City further disclaims all responsibility or liability for any damage, injury or loss resulting therefrom.