DECEMBER 2010



CITY OF WOODINVILLE FINAL

Comprehensive Stormwater Management Plan

Acknowledgements

City of Woodinville
Comprehensive Stormwater Management Plan

City Council
Mayor, Chuck Price
Liz Aspen
Paulette Bauman
Susan Boundy-Sanders
Jeff Glickman
Scott Hageman
Bernie Talmas

City Manager
Richard Leahy

Public Works Department
Tom Hansen, PE, Director
Bob Sisco, Engineering Technician
Brian Meyer, Maintenance Manager

Prepared by
Otak, Inc.
10230 NE Points Drive, Suite 400
Kirkland, WA 98033

Woodinville Comprehensive Stormwater Management Plan

Table of Contents

Acknowledgements

Abbreviations and Acronyms AB-1

Executive Summary

Background ES-1
Purpose of the Study ES-1
Approach ES-3
SWM Plan Adoption Process ES-3
1.0 Introduction ES-4
2.0 Characterization of the Study Area ES-4
3.0 Overview of City's SWM Program ES-4
4.0 SWM Facilities and Maintenance ES-6
Maintenance Activities ES-9
Organization and Staffing ES-9
5.0 SWM Capital Needs ES-9
City-Wide Hydraulic Analysis ES-10
Problem Identification and Ranking: Development of CIPs ES-10
Resulting Capital Improvement Program ES-13
6.0 Regulatory Compliance ES-13
NPDES Phase II Municipal Stormwater Permit ES-15
7.0 SWM Program Summary and Implementation ES-16
Regulatory Compliance ES-16
NPDES Phase II Municipal Stormwater Permit ES-16
Permit Compliance Activities ES-16
Compliance with Phase II Permit Requirements for SWM Maintenance ES-18
Water Quality Monitoring ES-18
Low Impact Development and Sustainability ES-19
Capital Improvement Plan ES-19
Conclusion ES-19

- Figure ES-1 Vicinity Map
- Figure ES-2 CSWM Planning Process
- Figure ES-3 Drainage Basins
- Figure ES-4 Drainage System Map
- Figure ES-5 CIP Development Process

- Figure ES-6 Drainage Complaints Location Map
- Figure ES-7 CIP Project Location Map
- Figure ES-8 Phase II Permit Requirements and Milestones

- Table ES-1 Summary of CIP Projects

Section 1: Introduction

Background 1-1
Overview of the Stormwater Management Planning Process 1-1
Plan Overview and Organization 1-3
Data Sources 1-4

- Figure 1-1 Vicinity Map
- Figure 1-2 SWM Planning Process

Section 2: Characterization of the Study Area

Service Area 2-1
  Drainages within the City 2-1
  Adjacent and Downstream Drainages 2-1
Hydrologic Characteristics 2-3
  Climate 2-3
  Soils 2-4
  Topography 2-10
  Sensitive Areas 2-11
  Steep Slopes 2-11
  Wetlands 2-13
  Floodplains 2-13
Drainage Basins and Streams 2-15
  Sammamish River 2-16
  Little Bear Creek 2-17
  Woodin Creek 2-19
  Lake Leota 2-20
  Juanita Creek 2-20
  Derby Creek 2-21
  School Creek 2-21
Zoning and Impervious Areas 2-21
  Existing Zoning 2-22
  Future Impervious Percent Area 2-26

- Figure 2-1 Major Watersheds and Drainage Basins

- Figure 2-2 Drainage Basins with Soils
- Figure 2-3 Sensitive and Critical Areas
- Figure 2-4 FEMA Floodway Map
- Figure 2-5 Existing Zoning
- Figure 2-6 Future Impervious Percent Area
- Figure 2-7 Zoning in Little Bear Creek Subbasin

- Table 2-1 Drainage Basin Areas Within City Limits
- Table 2-2 Soil Types and Areas
- Table 2-3 Citywide Hydrologic Soil Groups
- Table 2-4 Select Soil Properties
- Table 2-5 Watershed Areas within the City of Woodinville
- Table 2-6 Existing Zoning

Section 3: City's Stormwater Management Plan

Introduction 3-1
Purpose and Mission 3-1
Organization and Staffing 3-2
Utility Rates and Revenues 3-2
Activities and Services 3-4
Capital Improvement Program 3-4
Stormwater System Maintenance 3-4
Complaint Response 3-5
Catch Basin Cleaning 3-5
Minor Surface Water Improvements 3-5
Status of City's Compliance with Regulatory Requirements 3-5
Public Education and Outreach 3-6
Public Involvement and Participation 3-6
Illicit Discharge Detection and Elimination 3-7
Controlling Runoff from New Development, Redevelopment, and Construction Sites 3-7
Pollution Prevention and Operation and Maintenance for Municipal Operations 3-7
Review of City SWM Maintenance Program 3-8
Other Regulatory Requirements/Stormwater-Related Obligations: Endangered Species Act and Water Resource Inventory Area Improvements 3-8
Water Quality Monitoring 3-9
Program Management and Administration 3-10

- Table 3-1 Woodinville Stormwater Management Fees

Section 4: SWM Facilities and Maintenance

Introduction 4-1
Background 4-1
Staffing and Organization 4-2
Stormwater Facilities Map and Database 4-2
Stormwater System Inventory 4-2
Recommendations for Continued Development of Stormwater Facilities Map 4-5
Equipment 4-6
Maintenance Facility 4-6
Maintenance Activities 4-6
Street and Drainage System Cleaning 4-7
Drainage Conveyance System Repair and Construction 4-8
Open Channel and Ditch Maintenance 4-8
Public Retention/Detention Facility Maintenance 4-8
Emergency Response and Miscellaneous Service Programs 4-8
Staff Training 4-9
Recordkeeping 4-9
City's Compliance with Minimum Phase II Permit Requirements for Operations and Maintenance Programs 4-9
Minimum NPDES Permit Requirements 4-9
Regulatory Compliance Assessment and Findings 4-10
Conclusions 4-10
ESA Compliance 4-11
Permanent Maintenance Facility 4-11
Maintenance Standards 4-11
Potential Impacts of Annexation on the City's O&M Program 4-12
Recommendations 4-12
Maintenance Standards 4-13
Annual Inspection and Maintenance of Facilities 4-13
Spot Checks of Facilities after Large Storm Events 4-13
Catch Basin Inspection 4-13
Roadway Maintenance 4-13
Non-Roadway Maintenance 4-13
Staff Training 4-13
SWPPP for Maintenance Yard 4-13
Private Facility Maintenance Enforcement 4-13
Maintain Records 4-13

- Figure 4-1 Drainage System Map

- Table 4-1 Existing Inventory Summary
- Table 4-2 Minimum Maintenance Permit Requirements & Compliance Assessment

Section 5: SWM Capital Needs

Introduction 5-1

Section 5.1: City-Wide Hydraulic Analysis

Introduction 5.1-1
Brief History of Stormwater Conveyance Design Criteria 5.1-1
City-Wide Hydraulic Analysis 5.1-4
Hydrologic Analysis 5.1-4
Precipitation 5.1-4
Drainage Basin Delineation 5.1-5
Curve Number 5.1-5
Land Use 5.1-6
Time of Concentration 5.1-7
Hydraulic Analysis 5.1-7
Little Bear Creek Culvert Analysis 5.1-9
Recommendations 5.1-10

- Table 5.1-1 Conveyance Design Criteria Summary
- Table 5.1-2 24-Hour Precipitation Depths
- Table 5.1-3 Curve Numbers
- Table 5.1-4 Capacity Problem Locations
- Table 5.1-5 Comparison of Statistical Peak Discharges to Culvert Capacity

Section 5.2: Problem Ranking and CIP Development

CIP Development Process 5.2-1
Step 1: Problem Identification and Mapping 5.2-2
Problem Identification 5.2-2
Sources of Drainage Information 5.2-3
Total Reported Drainage Problem Areas 5.2-4
Mapping of Problem Areas 5.2-4
Step 2: Evaluation of Problem Areas/Drainage Concerns 5.2-4
Rating/Ranking Approach and Methodology 5.2-4
Results of Rating/Ranking Process 5.2-9

Step 3: Detailed Evaluation and Review 5.2-10
Step 4: Development of Capital SWM Projects 5.2-10

- Figure 5.2-1 CIP Development Process Flow Chart
- Figure 5.2-2 Drainage Complaint Location Map

- Table 5.2-1 Number of Drainage Problem Reports by Source
- Table 5.2-2 Number of Reported Drainage Problems by Basin
- Table 5.2-3 Ranking Criteria for CIP Projects
- Table 5.2-4 Summary of Drainage Problems that are CIP Projects

Section 5.3: Capital Improvement Implementation Plan

SWM Capital Improvement Program 5.3-1
Capital Improvement Program Project Prioritization 5.3-1
Capital Improvement Project Descriptions and Costs 5.3-3
CIP #1: Woodin Creek CIP 5.3-4
CIP #2: Chateau Reach CIP 5.3-5
CIP #3: Lake Leota and NE 180th Street CIP 5.3-6
CIP #4: NE Woodinville Duvall Road Stormwater Conveyance CIP 5.3-7
CIP #5: 147th Place NE CIP 5.3-8
CIP #6: Cottonwood Trees at 14300 NE Woodinville Duvall Road CIP 5.3-9
CIP #7: Little Bear Creek Culvert at 134th Avenue NE CIP 5.3-10
CIP #8: 144th Avenue NE CIP 5.3-11
CIP #9: 136th Avenue NE and NE 205th Street CIP 5.3-12
CIP #10: 137th Place NE CIP 5.3-13

- Figure 5.3-1 CIP Project Location Map

- Table 5.3-1 Summary of CIP Projects

Section 6: Regulatory Compliance

Stormwater Regulatory Requirements 6-1
NPDES Phase II Municipal Stormwater Permit 6-1
Permit Coverage 6-1
Permit Timeline 6-1
Permit Requirements 6-2
Public Education and Outreach (S5.C.1) 6-3
Public Involvement and Participation (S5.C.2) 6-4
Illicit Discharge Detection and Elimination (S5.C.3) 6-5

Controlling Runoff from New Development, Redevelopment, and Construction Sites (S5.C.4) 6-7
Pollution Prevention and Operation and Maintenance for Municipal Operations (S5.C.5) 6-8
Total Maximum Daily Loads (S7) 6-9
Monitoring (S8) 6-10
Annual Reporting & Reporting on LID Barriers (S9) 6-10
Underground Injection Control Rule 6-11
Endangered Species Act and Water Resources Inventory Area Planning 6-11
Puget Sound Action Agenda 6-13
Low Impact Development and Sustainability 6-15
Potential Future NPDES Phase II Permit Requirements 6-16
Monitoring 6-16
Total Maximum Daily Loads 6-16
Low Impact Development 6-16
Summary of NPDES Compliance Items 6-16

- Figure 6-1 Phase II Permit Requirements and Milestones

- Table 6-1 Public Education and Outreach
- Table 6-2 Public Involvement
- Table 6-3 Illicit Discharge Detection and Elimination
- Table 6-4 Controlling Runoff from New Development, Redevelopment, and Construction Sites
- Table 6-5 Pollution Prevention and Operations and Maintenance
- Table 6-6 Outstanding NPDES Compliance Items for the Remainder of the Permit Cycle As of September 2010
- Table 6-7 Surface Water Management Program Analysis

Section 7: SWM Program Summary and Implementation

Regulatory Compliance 7-1
NPDES Phase II Municipal Stormwater Permit 7-1
Phase II Permit Compliance Activities 7-1
Compliance with Phase II Permit Requirements for SWM Maintenance 7-3
Water Quality Monitoring 7-3
Low Impact Development and Sustainability 7-3
Capital Improvement Plan 7-4
Conclusion 7-4

References

Appendices

Appendix A Drainage Basin Maps
Appendix B Technical Memorandum: City-wide Hydraulic Analysis, Otak, Inc., June 9, 2010
Appendix C Ranking and Rating of Public Survey Complaints
Appendix D Capital Improvement Projects—Summaries and Cost Opinions
Appendix E Western Washington Phase II Municipal Stormwater Permit
Appendix F Water Quality
Appendix G Wetland Locations and Calculations
Appendix H Habitat Assessment Reports
Appendix I Maintenance Standards (From 2005 Department of Ecology Stormwater Management Manual for Western Washington)
Appendix J Woodinville Municipal Code Chapter 1.07

Abbreviations and Acronyms

2005 ECOLOGY MANUAL	2005 Department of Ecology Stormwater Management manual for Western Washington
ACTION AGENDA	Puget Sound Partnership Action Agenda
BMP	Best Management Practice
BNSF	Burlington Northern Santa Fe
CIP	Capital Improvement Projects
CITY	City of Woodinville
CSWM	Comprehensive Stormwater Management
CWA	Clean Water Act
ECOLOGY	Washington State Department of Ecology
ESA	Endangered Species Act
FEMA	Federal Emergency Management Agency
FPS	feet per second
GIS	Geographic Information System
GMA	Growth Management Act
HSG	Hydrologic Soil Group
IDDE	Illicit Discharge Detection and Elimination
KCSWDM	King County Surface Water Design Manual
KCSWM	King County Surface Water Management
LF	Linear Feet
LID	Low Impact Development
NPDES	National Pollution Discharge Elimination System
NRCS	Natural Resource Conservation Service
NTCHS	National Technical Committee for Hydric Soils
PARTNERSHIP	Puget Sound Partnership
PHASE II PERMIT	2007 National Pollution Discharge Elimination System Phase II Municipal Stormwater Permit
R	Residential (Zoning)
SBUH	Santa Barbara Urban Hydrograph
SEPA	State Environmental Policy Act
SCS	Soil Conservation Service
SR	State Route
SWM	Stormwater Management
SWPPP	Stormwater Pollution Prevention Plan
Tc	Time of Concentration

TMDL	Total Maximum Daily Load
UGA	Urban Growth Area
UIC	Underground Injection Control
UTILITY	Surface Water Utility
WMC	Woodinville Municipal Code
WRIA	Water Resource Inventory Area
WSDOT	Washington State Department of Transportation